98-041692/04 C02 NIPS 96.04.26	7.007 11 17 700 2
41117-A1	(/-E1, 14- V2B) .2
96.04.26 96JP-131170 (97.11.06) C07D 413/10, A01N 43/56	
New 1-isoxazol-5-yl, 3-pyrazol-4-yl benzene derivatives - are	
herbicides useful for crop plants e.g. corn or wheat (Jpn)	C Z
C98-013844 N(AL AM AT AU AZ BA BB BG BR BY CA CH CN CU	β. / _C
CZ DE DK EE ES FI GB GE HU IL IS JP KE KG KR KZ	R,
LCLK LR LS LT LU LV MD MG MK MN MW MX NO	N N N N N N N N N N N N N N N N N N N
NZ PL PT RO RU SD SE SG SI SK 1J TM TR 1T UA UG	
US UZ VN) R(AT BE CH DE DK EA ES FI FR GB GR IE	(I) , // / /
IT KE LS LU MC MW NL OA PT SD SE SZ UG)	R ₂ -IV
Addni. Data: ADACHI H, YAMAGUCHI M, MIYAHARA O,	7
KOGUCHI M, TOMITA K, TAKAHASHI A, KAWANA T	
97.02.10 97WO-JP00342	y X
1-Isoxazol-5-yl, 3-pyrazol-4-yl benzene derivatives of formula (I) and	$R_1 = halo$.
their salts are new:	R_2 = halo or 1-6C alkylsulphonyl;
	$R_1 = H \text{ or } 1-6C \text{ alkyl}$:
	R_x - R_x = H or 1-6C alkyl.
	USE
-	(I) are selective herbicides useful in crop plants such as wheat and
	WO 9741117-A+

corn.

SPECIFIC COMPOUNDS

4-[2,4-dichloro-3-(3-methyl-1,2-isoxazol-5-yl)]benzoyl-1,3-dimethyl-5-4-[2,4-dichloro-3-(3-methyl-1,2-isoxazol-5-yl)jbenzoyl-1-ethyl-5methylsulphonyl]benzoyl-1-ethyl-5-hydroxy pyrazole; 7 Compounds (I) are specifically claimed e.g. 4-[2-chloro-3-(3-methyl-1,2-isoxazol-5-yl)-4hydroxypyrazole; and hydroxypyrazole.

PREPARATION

EXAMPLE

ml) and the mixture was stirred for I hour at room temperature. Workbenzoyl chloride (1.58 g) in CH_2Cl_2 (5 ml) was added dropwise to 1-ethyl-5-hydroxypyrazole HCl (0.7 g) and NEt₃ (0.95 g) in CH_2Cl_2 (20 up including silica gel chromatography gave 0.73 g 4-[2-chloro-3-(3-methyl- 1,2-isoxazol-5-yl)-4-methylsulphonyl benzoyl]-1-ethyl-5-hydroxypyrazole, m.pt. 230-233 °C. 2-Chloro-4-methanesulphonyl-3-(3-methyl-1,2-isoxazol-5-yl)

HERBICIDAL DATA (I; $R_3 = R_4 = Me$; $R_1 = CI$, $R_2 = SO_2Me$ and $R_3 = H$) at 63 g/ha gave 100% control of Echinochloa crus galli and Xanthium SR: AU9336481 AU9646655 AU9988130 EP282944 EP629623 JP2173 IP5515530 US4885022 US5468722 WO9318031 WO9626206 strumarium, with no phytotoxicity towards wheat. (SCG) (51pp1839DwgNo.0/0)

WO 9741117-A